


VIVO S6600
VIVO S6800
VIVO S6800/P




Art. 267185 V0 2024-03-28
© STOBAG AG www.stobag.com

2 x S634



cm		200	225	250	275	300	325	350	375	400	425	450	475	500	525	550	575	600
 150 & 175	K1	15	15	-	10	15	25	30	35	40	45	45	50	55	60	60	65	70
	K2	-	-	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	K5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	A1	30	30	10	30	35	40	45	50	55	60	60	65	70	75	75	80	85
 200	K1	-	10	-	-	-	20	25	30	40	40	45	50	55	55	60	65	70
	K2	28	-	31	25	35	-	-	-	-	-	-	-	-	-	-	-	-
	K5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	A1	13	25	16	10	20	35	40	45	55	55	60	65	70	70	75	80	85
 225	K1	-	-	-	20	-	-	20	25	30	35	45	50	50	55	60	65	65
	K2	28	30	40	-	25	30	-	-	-	-	-	-	-	-	-	-	-
	K5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	A1	13	15	25	35	10	15	35	40	45	50	60	65	65	70	75	80	80
 250	K1	-	-	-	15	-	-	-	15	25	30	35	40	50	55	60	60	65
	K2	40	28	28	-	27	25	30	-	-	-	-	-	-	-	-	-	-
	K5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	300
	A1	25	13	13	30	12	10	15	30	40	45	50	55	65	70	75	75	80
 275	K1	-	-	-	-	15	150	-	-	150	250	300	350	400	500	550	600	60
	K2	-	28	28	40	-	-	25	30	-	-	-	-	-	-	-	-	-
	K5	-	-	-	-	-	-	-	-	-	-	-	-	250	262.5	275	287.5	300
	A1	-	13	13	25	30	30	10	15	30	40	45	50	55	65	70	75	80
 300	K1	-	-	-	-	-	15	-	-	-	15	20	30	35	40	45	55	60
	K2	-	28	40	28	40	-	27	25	30	-	-	-	-	-	-	85	90
	K5	-	-	-	-	-	-	-	-	-	212.5	225	237.5	250	262.5	275	-	-
	A1	-	13	25	13	25	30	12	10	15	30	35	45	50	55	60	70	75


2 x S634



cm		200	225	250	275	300	325	350	375	400	425	450	475	500	525	550	575	600
 350	K1	-	-	-	-	15	-	-	15	-	-	-	-	15	25	30	35	40
	K2	-	-	28	40	-	28	40	-	27	30	25	30	45	55	60	65	70
	K3	-	-	-	-	-	-	-	-	-	45	40	45	-	-	-	-	-
	K5	-	-	-	-	-	162.5	175	187.5	200	-	-	-	-	-	-	-	-
	A1	-	-	13	25	30	13	25	30	12	15	10	15	30	40	45	50	55
 400	K1	-	-	-	-	-	15	-	-	15	15	-	-	-	-	15	20	30
	K2	-	-	-	28	40	-	28	40	-	-	27	30	25	30	45	50	60
	K3	-	-	-	-	-	-	-	-	-	-	-	45	40	45	-	-	-
	K5	-	-	-	-	-	-	175	187.5	200	212.5	225	-	-	-	-	-	-
	A1	-	-	-	13	25	30	13	25	30	30	12	15	10	15	30	35	45


cm		625	650	675	700
 350	K1	50	-	-	-
	K2	80	-	-	-
	K5	298.5	-	-	-
	A1	65	-	-	-
	W1	312.5	-	-	-
 400	K1	35	40	45	55
	K2	65	70	75	85
	K5	298.5	311	323.5	336
	A1	50	55	60	70
	W1	312.5	325	337.5	350

4 x S634




cm		625	650	675	700
 150 & 175	K1	15	15	15	15
	K4	190	200	215	225
	K5	298.5	311	323.5	336
	A1	30	30	30	30
	A2	205	215	230	240
	W1	312.5	325	337.5	350

3 x S634




cm		625	650	675	700
200	K1	15	15	15	15
	K2	-	-	-	-
	K6	327.5	340	352.5	365
	A1	30	30	30	30
	A3	312.5	325	337.5	350
	W1	342.5	355	367.5	380
225	K1	15	15	15	15
	K6	327.5	340	352.5	365
	A1	30	30	30	30
	A2	31.5	325	337.5	350
	W1	342.5	355	367.5	380
225	K1	15	15	15	15
	K6	327.5	340	352.5	365
	A1	30	30	30	30
	A2	31.5	325	337.5	350
	W1	342.5	355	367.5	380
250	K1	15	15	15	15
	K2	-	-	-	-
	K6	327.5	340	352.5	365
	A1	30	30	30	30
	A3	312.5	325	337.5	350
	W1	342.5	355	367.5	380
275	K1	15	15	15	15
	K2	-	-	-	-
	K6	355	355	355	365
	A1	30	30	30	30
	A3	340	340	340	350
	W1	407.5	420	432.5	380

3 x S634



cm			625	650	675	700
300		K1	15	15	15	15
		K2	45	45	45	45
		K5	352	352	352	352
		K6	382	382	382	382
		A1	30	30	30	30
		A3	367	367	367	367
		W1	407.5	420	432.5	445
350		K1	-	-	-	15
		K2	-	25	25	45
		K3	-	40	40	-
		K5	-	395	394	414
		K6	-	434	446.5	459
		A1	-	10	10	30
		A3	-	410	409	429
		W1	-	420	432.5	445

2 x S635 (Trilliant)



cm			350	375	400	425	450	475	500	525	550	575	600	625	650	675	700
250		K1	15	15	15	15	15	15	15	38	38	38	38	38	38	38	38
		K2	152	160	165	170	195	200	210	215	220	215	220	230	235	240	245
		K3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		K4	-	-	-	-	-	-	-	-	-	273.5	286	298.5	311	323.5	336
		A1	167	175	180	185	210	215	225	230	235	230	235	245	250	255	260
		W1	-	-	-	-	-	-	-	23	23	23	23	23	23	23	23
		W2	-	-	-	-	-	-	-	262.5	275	287.5	300	312.5	325	337.5	350
300		K1	15	15	15	15	15	15	15	38	38	38	38	38	38	38	38
		K2	152	160	165	170	175	185	190	185	190	200	205	210	215	220	220
		K3	-	-	-	-	-	-	-	-	-	-	-	240	245	250	250
		K4	-	-	-	212.5	225	237.5	250	248.5	261	273.5	286	-	-	-	-
		A1	167	175	180	185	190	200	205	200	205	215	220	225	230	235	235
		W1	-	-	-	-	-	-	-	23	23	23	23	23	23	23	23
		W2	-	-	-	-	-	-	-	262.5	275	287.5	300	312.5	325	337.5	350
350		K1	-	-	15	15	15	15	15	38	38	38	38	38	38	38	38
		K2	-	-	175	180	185	185	190	195	200	210	215	220	215	220	225
		K3	-	-	-	-	-	215	220	225	230	240	245	250	245	250	255
		K4	-	-	200	212.5	225	-	-	-	-	-	-	-	311	323.5	336
		A1	-	-	190	195	200	200	205	210	215	225	230	235	230	235	240
		W1	-	-	-	-	-	-	-	23	23	23	23	23	23	23	23
		W2	-	-	-	-	-	-	-	262.5	275	287.5	300	312.5	325	337.5	350
400		K1	-	-	-	-	15	15	15	38	38	38	38	38	38	38	38
		K2	-	-	-	-	195	205	210	205	210	220	225	230	235	245	250
		K3	-	-	-	-	-	-	-	-	240	250	255	260	265	275	280
		K4	-	-	-	-	225	237.5	250	248.5	-	-	-	-	-	-	-
		A1	-	-	-	-	210	220	225	220	225	235	240	245	250	260	265
		W1	-	-	-	-	-	-	-	23	23	23	23	23	23	23	23
		W2	-	-	-	-	-	-	-	262.5	275	287.5	300	312.5	325	337.5	350